

Main Switch Board (MSB)

MSB is an assembly of distribution panels, each of which contains switches and breakers that allow electricity to be redirected to appropriate loads. Topaz is experienced in design, manufacture, supply and provide turnkey LV MSB (Low Voltage Main Switchboard).

The role of MSB is to divide the main current provided to the switchboard into smaller loads for further distribution and to provide switching, over-current protection and metering for these various loads.

Technical Specifications

Rated Operating Voltage	: Ue 690VAC, 50/60Hz
Rated Current	: Ie 500 - 6000A
Rated impulse withstand voltage	: Uimp 6000VDC
Rated insulation voltage	: Ui 1000VAC
Standards	: IEC 60439-1, BSEN 60439-1, AS 3439.1, IEC 60529, IEC 61641, IEC-61439 : 2009
Rated short circuit withstand	: Icw 80kA rms for 3 s Ipk 176 kA Icw 80kA 1s Ipk 176kA
Forms of internal separation	: 1, 2a, 2b, 3a, 3b, 4a, 4b
Busbar system	
* Material	: Copper, Oxygen-free high conductivity
* Surface treatment	: Tin-plated or PVC heat-shrink sleeve
* Support material	: Fiberglass reinforced polyester
Cable Entry	: Top and Bottom entry
Zone Location	: Indoor
Enclosure mounting	: Wall-mounted or free-standing
Enclosure Material	: Mild steel, electro-galvanized, or stainless steel
Standard Color	: Grey, Surface finish: Dip coat-primed, powder-coated in textured RAL 7035
Ingress Protection (IP)	: IP20 - 42
Approval	: JKR, Energy Commission (Suruhanjaya Tenaga)
Options	: Automatic Mains Failure (AMF), Synchronizing Panel for Standby Generators



Applications:

LV MSB for commercial and industrial applications

For additional information please contact;

Topaz Integrated Technology Sdn. Bhd.

46, Jalan Saujana 2, Taman Industri Saujana

09600 Lunas, Kedah, MALAYSIA

Tel: +604-484 7252 Fax: +604-484 9646

E-mail: sales@topazit.com Web: www.topazit.com

